

M6 x 1 MCMASTER-CARR #90591A151

M8 x 1.25 MCMASTER-CARR #90591A161

M6 MCMASTER-CARR #93475A250

M8 x 1.25 X 20

M8 x 1.25 X 12 MCMASTER-CARR #91280A524

MCMASTER-CARR #91280A530

FRACTIONS ± 1/32

. BREAK ALL SHARP EDGES .015 x 45. SPEC

2. DIMENSIONAL LIMITS APPLY AFTER

1:5

ANGLES ±.5°

DATE

2/7/2012

USED ON MODEL

EC135

SHEET 1 OF 5

1

1

1

1

1

PLATING

SCALE

B/O

B/O

B/O

B/O

B/O

-17

-19

-21

-23

-25

3 NUT

3 SCREW

3 NUT

3 SCREW

1 WASHER

STEEL

STEEL


STEEL

STEEL


S.S.

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

	REVISIONS REVISIONS								
REV	DESCRIPTION	DATE	INITIAL	APPROVED					
2	ADDEDE C-SINKS	11/27/2012	JAG						









(-1) RING BASE


® RED BARN MACHINE							
ENGINE ALIGNMENT							
RBEL134M-7201-101-1 REV ?							
MAT'L 6061			DRAWN BY: GILBERT				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			APPROVED D Weil				
.XXX ± .005 FRACTIONS ± 1/32 TREA							
XX ± .01 ANGLES ±.5°				FINISH CLEAR ANODIZE			
1. BREAK ALL	SHARP EDG	ES .015 x	45°	SPEC MIL-A-8625F, TYPE II, CLASS I			
OR .015R				USED ON MODEL			
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			EC135				
SCALE	1:2 DATE 2/7/2012 SHEET 2				OF 5		




This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

	REVISIONS								
RE	DESCRIPTION	DATE	INITIAL	APPROVED					
1	ADDED -5 ENGRAVE NOTE.	11/14/2012	RJC	SE					
2	ADDED C-SINKS	11/27/2012	JAG						









SECTION A-A SCALE 1:1 0

0

RED BARN MACHINE TITLE **ENGINE ALIGMENT** REV RBEL134M-7201-101-5 DRAWN BY: GILBERT MAT'L 6061 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

.XXX ± .005 FRACTIONS ± 1/32
.XX ± .01 ANGLES ±.5° APPROVED CLEAR ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS I 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R USED ON MODEL 2. DIMENSIONAL LIMITS APPLY AFTER PLATING EC135 SCALE DATE 2/7/2012 SHEET 4 OF 5 1:2

